

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE PLANT DISEASE REPORTER

Issued By

Division of Mycology and Disease Survey

Supplement 97

Index to Supplements 91 - 96

December 31, 1936.



BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

1912

1912

1912

1912

1912

1912

1912

1912

1912



1912

1912

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES

in

THE PLANT DISEASE REPORTER

SUPPLEMENTS 91 - 96, 1936.

Prepared by Nellie W. Nance

Plant Disease Reporter
Supplement 97

December 31, 1936

A

- Actinomyces sp., sweet potato, 210.
scabies, beet, 194.
potato, 57, 226.
radish, 225
Solanum tuberosum, 80.
turnip, 199.
- Albugo bliti, Amaranthus retroflexus, 80.
candida, Camelina microcarpa, 80.
Capsella bursa-pastoris, 80.
horseradish, 224.
Lepidium sp., 276.
radish, 225.
Sisymbrium altissimum, 80.
turnip, 200.
- ipomoeae panduranae, Ipomoea spp., 273.
platensis, Boerhaavia erecta, 264.
tragopogonis, Tragopogon porrifolius,
80, 232.
pratensis, 80.
- Aleurodiscus acerinus, Quercus virginiana,
253.
- Alternaria sp., apple, 166.
Asparagus, 194.
barley, 133.
Canna indica, 265.
Cassia sp., 266.
Cephalanthus occidentalis, 266.
cotton, 233.
Hibiscus spp., 272.
Lathyrus odoratus, 275.
lettuce, 211.
Magnolia spp., 247.
onion, 189.
- Alternaria sp., parsley, 219.
Pelargonium sp., 280.
pepper, 200.
pumpkin, 207.
raspberry, 181.
Rosa spp., 282.
Symphoricarpos sp., 286.
Tagetes erecta, 286.
turnip, 200.
Viola tricolor, 288.
Zinnia elegans, 289.
- atrans, soybean, 151.
brassicae, broccoli, 196.
cabbage, 197.
cauliflower, 196.
radish, 225.
rutabaga, 195.
turnip, 200.
- cucumerina, cantaloupe, 203.
cucumber, 204.
squash, 206.
watermelon, 202.
- dianthi, Dianthus sp., 269.
caryophyllus, 269.
- fasciculata, bean, 220.
herculea, turnip, 200.
panax, ginseng, 238.
radicina, carrot, 208.
solani, eggplant, 226.
potato, 57, 88, 227.
Solanum tuberosum, 88.
tomato, 58, 60, 213.
- tenuis, tobacco, 236.
tomato, tomato, 58, 60, 213.
- Anguillulina dihystra, Alternanthera
phylloxeroides, 260.

- Anguillulina dipsaci*, alfalfa, 150.
 Hyacinthus orientalis, 273.
 pratensis, apple, 172.
 rutabaga, 196.
 Sesbania sp., 285.
 Ulmus parvifolia, 259.
 tritici, wheat, 144.
Aphanomyces euteiches, pea, 222.
 raphani, radish, 225.
Aphelenchoides fragariae, *Chrysanthemum*
 hortorum, 267.
 Dahlia sp., 263.
 strawberry, 75, 165.
Apiosporium collinsii, *Amelanchier* sp.,
 261.
Aplanobacter insidiosum, alfalfa, 150.
 Medicago sativa, 79.
 michiganense, tomato, 216.
 stewarti, corn, 52.
 field corn, 147.
 sweet corn, 54, 143.
Armillaria mellea, apple, 166.
 apricot, 173.
 blackberry, 179.
 cherry, 174.
 grape, 184.
 hackberry, 243.
 Paeonia sp., 279.
 peach, 159.
 poplar, 251.
 Quercus spp., 253.
 raspberry, 181.
 Rosa spp., 283.
 Watsonia sp., 288.
Ascochyta spp., green peas, 65, 66.
 Lolium spp., 156.
 pea, 223.
 sweet clover, 151.
 meliloti, *Melilotus alba*, 85.
 pinodella, pea, 223.
 pisi, *Lathyrus odoratus*, 275.
 pea, 223.
 vetch, 153.
 rhei, rhubarb, 225.
Ascochyta asparagina, *Asparagus*
 plumosus, 263.
Aspergillus spp., field corn, 144, 146.
- Aspergillus* spp., sorghum, 138, 139.
 nidulans, onion, 189.
 niger, *Allium cepa*, 87.
 garlic, 191.
 onion, 189.
 peach, 159.
Atropellis pinicola, *Pinus* sp., 249.
- B
- Bacillus* sp., cowpea, 154.
 amylovorus, apple, 70, 79, 171.
 apricot, 174.
 Crataegus monogyna rosea, 79.
 oxyacantha, 244.
 pear, 69, 178.
 Prunus sp., 79.
 melanocarpa, 252.
 Pyracantha spp., 282.
 Pyrus communis, 79.
 malus, 79.
 quince, 163.
 Sorbus americana, 256.
 aroideae, *Zantedeschia* sp., 289.
 carotovorus, cabbage, 199.
 carrot, 208.
 cauliflower, 197.
 celery, 192.
 cucumber, 205.
 Iris spp., 274.
 lettuce, 212.
 Lilium spp., 277.
 onion, 191.
 parsnip, 219.
 pear, 179.
 pepper, 201.
 rutabaga, 195.
 Solanum tuberosum, 79.
 tobacco, 237.
 turnip, 200.
 Zantedeschia sp., 289.
 lathyri, cowpea, 154.
 Lathyrus odoratus, 275.
 phytophthorus, potato, 57, 229.
 tracheiphilus, cantaloupe, 204.
 cucumber, 205.
 pumpkin, 207.

- Bacillus tracheiphilus*, squash, 206.
 summer squash, 207.
- Bacterial leaf blight (undet.), *Iris*
 spp., 274.
 spot, *Begonia* sp., 264.
 rot (undet.), *Dahlia* sp., 268.
- Bacterium* spp.; bean, 221.
 cantaloupe, 204.
 dry beans, 64.
 filbert, 186.
 snap beans, 62, 63.
 andropogoni, sorghum, 139.
Sorghum vulgare sudanense, 158.
 angulatum, tobacco, 237.
 apii, celery, 193.
 atrofaciens, wheat, 144.
 beticola, sugar beet, 239.
 campestre, *Brassica oleracea*, 79.
 broccoli, 196.
 Brussels sprouts, 199.
 cabbage, 199.
 cauliflower, 197.
 turnip, 200.
 cannae, *Canna indica*, 265.
 cerasi, apricot, 174.
 citri, *Citrus* spp., 163.
 coronafaciens, *Avena sativa*, 79.
 oats, 79, 132.
atropurpureum, *Bromus inermis*, 155.
 cucurbitae, squash, 207.
 delphinii, *Delphinium* sp., 269.
 dissolvens, field corn, 147.
 sweet corn, 149.
 flaccumfaciens, bean, 221.
 flavozonatum, *Begonia* sp., 264.
 glycineum, soybean, 152.
 gummisudans, *Gladiolus* sp., 271.
 gypsophilae, *Gypsophila paniculata*,
 272.
 hederiae, *Hedera helix*, 272.
 holci, sorghum, 139.
Sorghum vulgare sudanense, 79.
 holcicola, sorghum, 139.
 juglandis, *Juglans regia*, 188.
 lachrymans, cucumber, 205.
 maculicola, cabbage, 199.
 cauliflower, 197.
- Bacterium malvacearum*, cotton, 67, 235.
marginatum, *Freesia* sp., 271.
Gladiolus sp., 271.
 medicaginis, *Medicago sativa*, 79.
 phaseolicola, bean, 221.
 mori, mulberry, 173.
 phaseoli, bean, 79, 221.
 lima bean, 220.
Phaseolus vulgaris, 79.
 sojense, soybean, 152.
 pisi, cowpea, 154.
 pea, 65, 66, 79, 224.
Pisum sativum, 79.
 primulae, *Primula* sp., 282.
 pruni, apricot, 174.
 cherry, 175.
 peach, 160.
 plum, 177.
 punctatum, tomato, 217.
 rubrilineans, sugar cane, 239.
 solanacearum, peanut, 233.
 potato, 229.
Tagetes erecta, 286.
 tobacco, 237.
 tomato, 217.
 syringae, cherry, 175.
Syringa vulgaris, 79, 286.
 tabacum, tobacco, 237.
 tardicrescens, bearded iris, 274.
 tonellianum, *Nerium oleander*, 279.
 translucens, barley, 80, 135.
Hordeum vulgare, 80.
 secalis, *Secale cereale*, 80.
 undulosum, *Triticum aestivum*, 80.
 wheat, 144.
 tumefaciens, almond, 186.
 apple, 171.
 blueberry, 183.
Ceanothus sp., 266.
 cherry, 175.
Chrysanthemum hortorum, 267.
Cydonia japonica, 268.
 grape, 185.
Lathyrus odoratus, 275.
Lycopersicum esculentum, 80.
 peach, 161.
 plum, 177.

- Bacterium tumefaciens*, poplar, 252.
 quince, 163.
 raspberry, 182.
Rosa spp., 284.
Rubus sp., 80.
Salix babylonica, 255.
Vitis sp., 80.
 youngberry, 183.
vesicatorium, pepper, 201.
 tomato, 217.
vignae, lima bean, 220.
Pueraria thunbergiana, 282.
woodsii, *Dianthus caryophyllus*, 269.
Basisporium gallarum, field corn, 144, 147.
 Big vein (virus), lettuce, 212.
 Bitter pit (non-par.), apple, 172.
 Black heart (non-par.), celery, 193.
 potato, 231.
 root, strawberry, 75, 165.
 Blade blight (undet.), oats, 132.
 Blast, oats, 132.
 onion, 191.
 Blight (undet.), yam, 209.
 Blossom-end rot (non-par.), pepper, 201.
 tomato, 53, 60, 218.
 Bolting (non-par.), celery, 193.
Botryosphaeria sp., *Cercis canadensis*, 243.
berengeriana, *Juniperus virginiana*,
 246.
 ribis, *Rosa* spp., 283.
Botrytis sp., apple, 166.
Calendula officinalis, 264.
Callistephus chinensis, 265.
 celery, 191.
Chrysanthemum hortorum, 266.
 cucumber, 205.
Euphorbia marginata, 270.
Helleborus niger, 272.
Lathyrus odoratus, 275.
Lilium candidum, 276.
 regale, 276.
 onion, 189.
Pelargonium sp., 280.
Primula sp., 282.
 raspberry, 181.
Symphoricarpos sp., 286.
Botrytis sp., *Trifolium incarnatum*, 152.
allii, *Allium cepa*, 87.
cinerea, *Aquilegia* sp., 262.
 asparagus, 194.
 bean, 220.
 blackberry, 179.
Cornus florida, 244.
 paniculata, 244.
Dianthus caryophyllus, 269.
Delphinium sp., 268.
Iris spp., 273.
 lettuce, 211.
Matthiola sp., 277.
 pear, 177.
 raspberry, 181.
Rosa spp., 283.
 strawberry, 164.
 tomato, 213.
convoluta, *Iris* spp., 273.
elliptica, *Lilium candidum*, 276.
narcissicola, *Narcissus* sp., 278.
paeoniae, *Paeonia* sp., 87.
 albiflora, 279.
tulipae, *Tulipa* sp., 87, 287.
vulgaris, *Dianthus caryophyllus*, 87.
Bremia lactucae, lettuce, 212.
Briosia amphelophaga, grape, 184.
 Bronzing (undet.), grape, 185.
 Brown root rot (undet.), tobacco, 238.
 stain (non-par.), filbert, 187.
 Buckskin (virus), cherry, 176.
 Bud drop (non-par.), pear, 179.
 Bulb rot (unknown), *Lilium* spp., 277.
Lilium longiflorum giganteum
 277.
 C
 Calico, celery, 193.
 potato, 231.
 Canker, filbert, 187.
Ilex spp., 246.
Capnodium sp., *Gardenia florida*, 271.
pini, *Pinus strobus*, 249.
Cenangium taeda, *Pinus taeda*, 249.
Cephaleuros virescens, *Magnolia* spp., 247

- Cephalobus elongatus*, peanut, 233.
Cephalosporium sp., elm, 256.
 acremonium, field corn, 145, 148.
 ulmi, *Ulmus americana*, 256.
Cephalothecium sp., grape, 184.
 quince, 163.
Ceratostomella sp., sycamore, 251.
 fimbriata, sweet potato, 55, 210.
 ulmi, inoculation experiments, 257.
 Ulmus spp., 257.
Cercospora sp., *Hibiscus sabdariffa*, 272.
 Phlox sp., 280.
 Poinsettia pulcherrima, 281.
 Polianthes tuberosa, 281.
 sweet clover, 151.
 althaeina, *Althaea rosea*, 260.
 cotton, 233.
 apii, celery, 191.
 carotae, carrot, 208.
 pastinacae, parsnip, 219.
 armoraciae, horseradish, 224.
 atricincta, *Zinnia elegans*, 289.
 beticola, beet, 194.
 mangel, 195.
 spinach, 231.
 sugar beet, 68, 239.
 swiss chard, 195.
 canescens, bean, 220.
 capsici, pepper, 201.
 cercidicola, redbud, 243.
 chrysanthemi, *Chrysanthemum hortorum*,
 266.
 circumscissa, *Prunus pennsylvanica*,
 88.
 citrullina, watermelon, 202.
 cruenta, bean, 220.
 cowpea, 153.
 cucurbitae, cantaloupe, 203.
 davisii, sweet clover, 151.
 diazii, cowpea, 153.
 soybean, 151.
 fusca, pecan, 187.
 granuliformis, *Viola* sp., 288.
 halepensis, *Sorghum halepense*, 158.
 ilicicola, *Ilex* sp., 246.
 ligustri, *Ligustrum* sp., 276.
 lythracearum, *Lagerstroemia* sp., 275.
 Cercospora mali, apple, 167.
 medicaginis, alfalfa, 149.
 meliae, chinaberry, 248.
 nicotianae, tobacco, 236.
 nymphaeaceae, *Nymphaea* sp., 279.
 personata, peanut, 233.
 rosaecola, *Rosa* spp., 283.
 seminalis, buffalo grass, 155.
 sorghii, field corn, 145.
 sphaeriaeformis, *Ulmus* spp., 258.
 stizolobii, soybean, 152.
 symphoricarpi, *Symphoricarpos*
 albus, 89.
 violae, *Viola* sp., 288.
 odorata, 288.
 weigeliae, *Weigela rosea*, 288.
 zebrina, *Melilotus indica*, 151.
 Cercosporella sp., blackberry, 180.
 dewberry, 180.
 caryigena, pecan, 187.
 herpotrichoides, *Hordeum vulgare*, 88.
 Triticum aestivum, 88.
 wheat, 88, 140.
 mori, mulberry, 173.
 virgaurae, *Solidago missouriensis*,
 88.
 Cerebella andropogonis, *Sorghastrum*
 nutans, 158.
 Chemical injury (fumes), apple, 172.
 Chlorosis, *Acer negundo*, 241.
 apricot, 174.
 bean, 222.
 dewberry, 181.
 flax, 136.
 Gardenia florida, 271.
 grape, 185.
 Ilex vomitoria, 246.
 oats, 132.
 pea, 224.
 peach, 162.
 peanut, 233.
 pear, 179.
 persimmon, 244.
 Robinia pseudoacacia, 254.
 Rosa spp., 284.
 Choanephora cucurbitarum, squash, 206.
 Chrysomyxa cassandrae, *Picea mariana*, 248.

- Chrysomyxa ledi*, *Ledum columbianum*, 92.
ledicola, *Picea glauca*, 248.
Cladosporium sp., apple, 166, 167.
Cephalanthus occidentalis, 266.
 sycamore, 251.
Ulmus spp., 258.
 spp., *Lolium* spp., 156.
album, *Lathyrus odoratus*, 275.
carpopylum, almond, 186.
 apricot, 173.
 cherry, 174.
 peach, 72, 159.
 plum, 176.
cucumerinum, cucumber, 205.
 squash, 206.
 summer squash, 207.
effusum, pecan, 187.
fulvum, *Lycopersicon esculentum*, 89.
 tomato, 214.
paeoniae, *Paeonia albiflora*, 279.
pisicola, pea, 223.
vignae, cowpea, 153.
Claviceps paspali, *Paspalum* spp., 157.
purpurea, *Agropyron pauciflorum*, 84,
 154.
Agropyron pseudorepens, 154.
repens, 154.
smithii, 154.
Andropogon furcatus, 154.
 barley, 133.
Elymus canadensis, 84.
condensatus, 84, 156.
glauca, 156.
macounii, 156.
virginicus, 156.
Koeleria cristata, 156.
Poa canbyi, 157.
 redtop, 154.
 rye, 50, 137.
Sorghastrum nutans, 158.
 wheat, 140.
Coccomyces dentatus, *Mahonia repens*, 83.
hiemalis, cherry, 73, 175.
Prunus pennsylvanica, 252.
prunophorae, plum, 176.
Coleosporium ipomoeae, *Ipomoea* spp., 273.
Coleosporium solidaginis, *Aster con-*
spicuus, 92.
Callistephus chinensis, 265.
Pinus banksiana, 249.
nigra austriaca, 249.
resinosa, 249.
Solidago sp., 92.
missouriensis, 92.
serotina gigantea, 285.
salebrosa, 92.
Colletotrichum sp., *Camellia japonica*,
 265.
Dieffenbachia sp., 270.
 yam, 209.
antirrhini, *Antirrhinum majus*, 261.
atramentarium, potato, 227.
circinans, onion, 189.
destructivum, tobacco, 236.
erumpens, rhubarb, 225.
falcatum, sugar cane, 239.
gloeosporioides, *Citrus taitensis*,
 267.
graminicolum, rye, 137.
 wheat, 140.
lagenarium, cantaloupe, 203.
 cucumber, 205.
 gourd, 208.
 squash, 206.
 watermelon, 203.
lindemuthianum, bean, 220.
 dry beans, 64.
 lima bean, 219.
 snap beans, 62, 63.
lineola, sorghum, 138.
Sorghum vulgare sudanense, 158.
 flax, 135.
nigrum, pepper, 201.
philodendri, *Philodendron giganteum*,
 280.
phomoides, tomato, 214.
pisi, pea, 223.
pollaccii, *Aucuba japonica aurea*,
 263.
spinaciae, spinach, 231.
trifolii, alfalfa, 149.
 clover, 152.

- Colletotrichum truncatum*, lima bean, 219.
violae-tricoloris, *Viola* sp., 288.
- Coniothyrium* sp., apple, 167.
Paeonia sp., 279.
Ulmus spp., 258.
fuekelii, *Rosa* spp., 283.
pyrinum, apple, 167.
ulmi, *Ulmus americana*, 258.
wernsdorffiae, *Rosa* spp., 283.
- Corky center (drought), grape, 185.
- Corn rots, *Gladiolus* sp., 271.
- Corticium* sp., *Quercus virginiana*, 253.
koleroga, fig, 163.
Magnolia spp., 247.
salmonicolor, fig, 163.
stevensii, apple, 167.
vagum, *Antirrhinum majus*, 261.
 bean, 220.
 cabbage, 197.
 carrot, 208.
 cauliflower, 196.
Chrysanthemum hortorum, 266.
 cotton, 234.
 eggplant, 226.
 endive, 202.
 escarole, 202.
 undet. Gramineae, 158.
 horseradish, 224.
Lathyrus odoratus, 275.
 lettuce, 212.
 lima bean, 219.
 pea, 223.
 peanut, 233.
Poinsettia pulcherrima, 281.
 potato, 56, 100, 227.
Solanum tuberosum, 100.
 sugar beet, 239.
 sweet potato, 210.
 tobacco, 236.
 tomato, 214.
 turnip, 200.
- Coryneum beijerinckii*, almond, 186.
Amygdalus persica, 86.
 apricot, 86, 173.
 cherry, 175.
 peach, 86, 159.
Prunus sp., 86.
- Coryneum beijerinckii*, *Prunus armeniaca*,
 86.
microstictum, *Rosa* spp., 283.
Rubus sp., 86.
- Crack stem (non-par.), celery, 193.
- Crinkle (virus), strawberry, 165.
 mosaic (virus), potato, 230.
- Cronartium comptoniae*, *Pinus nigra*
austriaca, 249.
Pinus rigida, 249.
sylvestris, 249.
quercuum, *Pinus banksiana*, 250.
echinata, 250.
sylvestris, 250.
- ribicola*, *Grossularia inermis*, 92.
Pinus strobus, 250.
Ribes lacustre, 92.
petiolare, 92.
- Crop losses in 1935, 43-75.
- Crown disease (undet.), raspberry, 183.
 injury, strawberry, 166.
- Cryptosporella viticola*, grape, 184.
- Cumminsiiella sanguinea*, *Mahonia*
aquifolium, 93.
Mahonia repens, 93.
- Curly top (virus), bean, 222.
 beet, 195.
 cantaloupe, 204.
 cucumber, 206.
 pepper, 201.
 spinach, 232.
 squash, 207.
 sugar beet, 68, 239.
 summer squash, 207.
 swiss chard, 195.
 tomato, 58, 60, 217.
Vicia faba, 153.
- Cuscuta* sp., alfalfa, 151.
 carrot, 209.
Licustrum sp., 276.
 parsley, 219.
umbellata, *Tribulus* sp., 287.
- Cyanospora albicedrae*, *Juniperus mexi-*
cana, 246.
- Cylindrosporium brassicae*, turnip, 200.
defoliatum, hackberry, 243.
iridis, *Iris* spp., 273.

Cylindrosporium kerriae, *Kerria japonica*, 275.
smilacinae, *Smilacina stellata*, 87.
veratrinum, *Veratrum californicum*, 87.
Cytospora sp., *Acer palmatum*, 240.
platanoides, 240.
rubrum, 240.
 apple, 167.
 apricot, 173.
 cedrela, 243.
 Douglas fir, 252.
Picea excelsa, 248.
orientalis, 248.
pungens, 248.
kosteri, 248.
Pinus excelsa, 250.
ponderosa, 250.
Ulmus spp., 258.
americana, 258.
carbonacea, *Ulmus* spp., 258.
chrysosperma, *Populus alba bolleana*, 251.
Populus deltoides, 251.
dentata, 251.
grandidentata, 251.
nigra italica, 251.
tremuloides, 251.
Salix alba, 254.
fragilis, 254.
ludibunda, *Ulmus americana*, 258.
sacchari, sugar cane, 239.

D

Daedalea confragrosa, *Salix amygdaloides*, 255.
Salix fragilis, 255.
quercina, *Quercus* spp., 253.
 Damping-off, beet, 195.
 carrot, 208.
 parsnip, 219.
 spinach, 232.
 sugar beet, 239.
 Dark center (undet.), rutabaga, 196.
Darluca filum, *Puccinia coronata*, 156.
Dasyscypha ellisiana, *Pinus strobus*, 250.

Dendrophoma obscurans, strawberry, 164.
Diachaea leucopoda, strawberry, 164.
 Diamond canker (undet.), prune, 174.
Diaporthe batatatis, sweet potato, 210.
eres, *Ilex* spp., 246.
phaseolorum, lima bean, 219.
sojae, soybean, 151.
umbrina, *Rosa* spp., 283.
Didymella applanata, raspberry, 181.
 youngberry, 183.
Didymella iridis, *Iris* spp., 273.
xiphium, 274.
Didymosphaeria sp., *Ulmus parvifolia*, 258.
 Dieback (undet.), blueberry, 183.
Cajanus indicus, 200.
Juglans regia, 189.
Diplocarpon earliana, strawberry, 75, 164.
rosae, *Rosa* spp., 83, 283.
Diplodia sp., cantaloupe, 204.
 field corn, 147.
 onion, 189.
 persimmon, 244.
 poplar, 251.
 redbud, 243.
Rosa spp., 283.
 watermelon, 203.
gossypina, cotton, 234.
longispora, *Quercus alba*, 253.
prinus, 253.
natalensis, peanut, 233.
 tung oil tree, 242.
sophorae, *Sophora japonica*, 286.
tubericola, sweet potato, 210.
ulmi, *Ulmus crassifolia*, 258.
zeae, corn, 52.
 field corn, 145.
 sweet corn, 54, 148.
Diplodina graminea, *Cynodon dactylon*, 155.
salicicola, see *Physalospora gregaria*.
Discosia artoceras, *Quercus* spp., 253.
 Distorted growth, apple, 172.
Dothichiza populea, *Populus alba bolleana*, 251.

- Dothichiza populea*, *Populus nigra*, 251.
Populus nigra italica, 251.
Dothichloe atramentosa, *Andropogon* sp.,
 155.
Dothiorella, elm, 256.
 sp., *Gleditsia triacanthos*, 245.
 ribis, *Cydonia japonica*, 268.
 pear, 177.
Salix discolor, 255.
 Drought, bean, 222.
 cucumber, 206.
Juglans regia, 188.
 pea, 224.
 rhubarb, 226.
 rye, 138.
 injury, apple, 172.
 wheat, 144.
 spot, tobacco, 238.
 Dry stem (arsenical injury), cherry, 176.
- E
- Ear rots, corn, 52.
 field corn, 146.
Elsinoe ampelina, grape, 184.
phaseoli, bean, 220.
veneta, blackberry, 180.
 dewberry, 180.
 raspberry, 181.
 youngberry, 183.
Endophyllum sempervivi, *Sempervivum* sp.,
 285.
Endothia parasitica, chestnut, 242.
 chinquapin, 243.
Entomosporium thuemenii, *Crataegus*
oxycantha, 244.
Entyloma australe, *Physalis* sp., 281.
calendulae, *Calendula officinalis*,
 264.
oryzae, rice, 137.
Epicoëcum nigrum, *Magnolia* spp., 247.
Erysiphe cichoracearum, *Amsinckia inter-*
media, 81.
 artichoke, globe, 208.
 Jerusalem, 209.
Aster novae-angliae, 81.
 cantaloupe, 204.
- Erysiphe cichoracearum*, *Chrysanthemum*
hortorum, 266.
 cucumber, 205.
Dahlia sp., 268.
Delphinium sp., 269.
Helianthus annuus, 81, 272.
Lactuca scariola integrata, 81.
Madia glomerata, 81.
Mertensia ciliata, 278.
Phlox sp., 280.
 pumpkin, 207.
 squash, 206.
 summer squash, 207.
Zinnia elegans, 289.
graminis, barley, 133.
Bromus inermis, 81.
vulgaris, 81.
Dactylis glomerata, 81.
Poa pratensis, 157.
 rye, 138.
Triticum aestivum, 81.
 wheat, 81, 140.
polygoni, *Althaea rosea*, 260.
Aquilegia sp., 262.
 bean, 220.
Brassica campestris, 82.
 buckwheat, 133.
 cabbage, 197.
 collards, 196.
 cowpea, 153.
Dahlia sp., 268.
Delphinium sp., 82, 269.
Lathyrus odoratus, 275.
Lupinus sp., 82.
 pea, 82, 223.
Fisum sativum, 82.
Polygonum aviculare, 82.
 radish, 225.
 rutabaga, 195.
Trifolium spp., 152.
 hybridum, 82.
 pratense, 82, 152.
 procumbens, 152.
 turnip, 200.
Exoascus cerasi, *Prunus avium*, 81.
demissa, 81.
deformans, *Amygdalus persica*, 81.

- Exobasidium camelliae*, *Camellia japonica*, 265.
vaccinii, *Azalea*, 263.
Exophoma magnoliae, *Magnolia* spp., 247.
Exosporium sp., *Agave lecheguilla*, 260.
concentricum, *Euonymus* sp., 270.
Ligustrum sp., 276.
- F
- Fabraea maculata*, pear, 69, 177.
 quince, 163.
Fasciation (Bacterial), *Chrysanthemum hortorum*, 267.
 (non-par.), peach, 162.
Firing (non-par.), tobacco, 238.
Fomes applanatus, apple, 167.
 maple, 240.
 peach, 159.
Quercus spp., 253.
fomentarius, maple, 240.
Quercus spp., 253.
fraxinophilus, *Fraxinus pennsylvanica lanceolata*, 245.
igniarius, maple, 240.
Quercus spp., 253.
Foot rots, rye, 138.
 sweet corn, 148.
 wheat, 46, 140.
Frenching (non-par.), tobacco, 238.
Frost damage, peach, 162.
 injury, apple, 172.
 bean, 222.
 blueberry, 183.
 pea, 224.
 pepper, 202.
Fruit rots, strawberry, 75, 166.
 spot, amoeboid, pear, 179.
 (undet.), pepper, 202.
Fuligo sp., strawberry, 164.
cinerea, undet. Gramineae, 158.
Fumago sp., *Gardenia florida*, 271.
vagans, pear, 178.
Sagittaria sagittifolia, 284.
Fungi of Idaho, 77-113.
Fusarium, cotton, 234.
 flax, 136.
- Fusarium* sp., *Albizia julibrissin*, 241.
Asparagus, 194.
asparagoides, 263.
 barley, 133.
 carrot, 208.
 celery, 192.
 cotton, 234.
 cucumber, 205.
Dianthus caryophyllus, 269.
 field corn, 145, 147.
 flax, 135.
Freesia sp., 271.
Gladiolus sp., 271.
Gypsophila sp., 272.
Iris spp., 274.
Juglans nigra, 188.
Kalanchoe globulifera coccinea, 274.
Lilium spp., 277.
auratum, 276.
Lonicera tatarica, 277.
Narcissus sp., 278.
 pea, 223.
 peanut, 233.
 pepper, 201.
Poinsettia pulcherrima, 281.
 potato, 228.
 raspberry, 181.
 spinach, 231.
 squash, 206.
Tagetes erecta, 286.
 tobacco, 236.
Trachymene caerulea, 287.
Ulmus spp., 258.
 undet. Gramineae, 158.
 wheat, 140.
 yam, 209.
Zinnia elegans, 289.
 spp., barley, 133, 134.
 bean, 220.
 field corn, 144, 145, 147.
 oats, 131.
Pinus caribaea, 250.
palustris, 250.
taeda, 250.
 potato, 57, 228.
Robinia pseudoacacia, 254.

- Fusarium* spp., sorghum, 138.
 sweet corn, 148.
 sweet potato, 55.
 wheat, 140.
 annuum, pepper, 201.
 bulbigenum batatas, sweet potato, 210.
 niveum, cantaloupe, 204.
 cucumber, 205.
 watermelon, 203.
 cepae, see *Fusarium oxysporum* f. 7.
 cepivorum, onion, 189.
 conglutinans, cabbage, 197.
 cauliflower, 196.
 callistephi, *Callistephus*
 chinensis, 265.
 flocciferum, *Solanum tuberosum*, 89.
 hyperoxysporum, see *Fusarium oxysporum* f. 2.
 lateritium, chinaberry, 248.
 lini, flax, 135.
 lycopersici, tomato, 58, 60, 214.
 malli, see *Fusarium solani*, 189.
 martii phaseoli, cowpea, 153.
 see *Fusarium solani martii*
 f. 3.
 pisi, see *Fusarium solani martii*
 f. 2.
 moniliforme, cotton, 234.
 field corn, 145, 147.
 orthoceras apii, celery, 192.
 pisi, green peas, 65, 66.
 pea, 223.
 oxysporum, potato, 227.
 Solanum tuberosum, 89.
 sweet potato, 210.
 f. 2, sweet potato, 210.
 f. 7, *Allium cepa*, 89.
 f. 7, onion, 89, 189.
 f. 8, pea, 223.
 nicotianae, tobacco, 236.
 redolens f. 1, *Spinacia oleracea*, 90.
 sambucinum f. 6, *Solanum tuberosum*,
 90.
 solani, onion, 189.
 eumartii, potato, 227.
 martii f. 2, pea, 223.
 f. 3, bean, 90, 220.
Fusarium solani martii f. 3, *Phaseolus*
 vulgaris, 90.
 tracheiphilum, soybean, 151.
 trichothecioides, *Solanum tuberosum*,
 90.
 vasinfectum, cotton, 67, 234.
 okra, 210.
 peanut, 233.
 tracheiphilum, cowpea, 153.
 zonatum f. 1, onion, 189.
Fusicladium photinicola, *Photinia*
 arbutifolia, 261.
 saliciperidum, *Salix alba*, 255.
 Salix blanda, 255.
 elegantissima, 255.
Fusisporium rubi, raspberry, 181.
- G
- Giant hill (virus), potato, 229.
Gibberella saubinetii, barley, 48, 133.
 field corn, 145, 146, 147.
 oats, 131.
 rye, 138.
 wheat, 46, 140.
Gloeodes pomigena, apple, 167.
 pear, 178.
Gloeosporium sp., *Begonia* sp., 263.
 Dracaena fragrans, 270.
 Eriobotrya japonica, 163.
 Helleborus niger, 272.
 Ilex spp., 246.
 Ligularia kaempferi, 276.
 maple, 240.
 Nandina domestica, 278.
 Prosopis glandulosa, 252.
 Rhodotypos kerrioides, 282.
 Skimmia japonica, 285.
 Ulmus spp., 258.
 Vaccinium corymbosum, 183.
apocryptum, *Acer saccharinum*, 240.
 saccharum, 240.
 aridum, ash, 245.
 camphorae, *Cinnamomum camphora*, 243.
 caulivorum, *Trifolium pratense*, 87.
 cingulatum, *Ficus elastica*, 270.
 pandurata, 270.

- Gloeosporium diospyri*, persimmon, 244.
equiseti, *Equisetum hyemale*, 87.
palmarum, *Kentia forsteriana*, 275.
perennans, apple, 87, 167.
Pyrus malus, 87.
ribis, *Ribes vulgare*, 87.
rosae, *Rosa* spp., 283.
salicis, *Salix* spp., 255.
tiliae, basswood, 256.
ulmicolum, *Ulmus americana*, 258.
parvifolia, 258.
pumila, 258.
- Glomerella cingulata*, apple, 70, 167.
Euonymus sp., 270.
 grape, 184.
Juglans regia, 188.
Lathyrus odoratus, 275.
Ligustrum ovalifolium, 276.
Paeonia sp., 280.
 pear, 178.
 pepper, 201.
 quince, 163.
Symphoricarpos sp., 286.
Vaccinium corymbosum, 183.
gossypii, cotton, 67, 234.
rubicola, raspberry, 181.
- Glomerularia corni*, *Cornus canadensis*, 88.
- Glume spotting (undet.), rice, 137.
- Gnomonia caryae pecanae*, pecan, 187.
leptostyla, *Juglans cinerea*, 188.
Juglans nigra, 188.
nerviseda, pecan, 187.
ulmea, *Ulmus americana*, 258.
Ulmus parvifolia, 258.
pumila, 258.
veneta, *Platanus occidentalis*, 251.
orientalis, 251.
Quercus alba, 253.
kelloggii, 253.
- Graft blight (uncongenial scion),
Syringa vulgaris, 286.
- Grey speck (physiological), oats, 132.
- Guignardia aesculi*, horsechestnut, 241.
bidwellii, *Ampelopsis veitchii*, 261.
 grape, 74, 184.
- Gymnoconia peckiana*, blackberry, 180.
- Gymnoconia peckiana*, dewberry, 180.
 raspberry, 181.
Rubus laciniatus, 93.
- Gymnosporangium* sp., *Amelanchier* sp.,
 261.
 apple, 70.
Malus spp., 248.
clavipes, *Amelanchier canadensis*,
 261.
 apple, 168.
 pear, 178.
Juniperus spp., 246.
 quince, 163.
germinale, crab, 248.
 flowering crab, 248.
globosum, *Crataegus oxyacantha*, 244.
Juniperus spp., 246.
 wild crab, 168, 248.
japonicum, *Photinia arbutifolia*, 281.
juniperi-virginianae, apple, 167.
Juniperus virginiana, 246.
Malus ioensis, 248.
scheideckeri, 248.
 wild crab, 248.
juvenescens, *Amelanchier alnifolia*,
 99.
libocedri, pear, 178.
- H
- Hail injury, apple, 172.
 peach, 162.
- Haywire (undet.), potato, 231.
- Heat canker (non-par.), flax, 136.
- Helminthosporium* spp., barley, 133, 134.
Cynodon dactylon, 155.
 field corn, 146, 147.
 flax, 135.
 undet. Gramineae, 158.
 oats, 131.
 sorghum, 139.
 wheat, 140.
- avenae*, oats, 131.
californicum, *Hordeum vulgare*, 89.
curvulum, rice, 136.
gramineum, barley, 48, 133.

- Helminthosporium gramineum*, *Hordeum*
vulgare, 89.
oryzae, rice, 136.
papulosum, apple, 169.
ravenelii, *Sporobolus* sp., 158.
indicus, 158.
sativum, barley, 89, 134.
Hordeum vulgare, 89.
Lolium spp., 156.
wheat, 140.
setariae, *Setaria italica*, 157.
siccans, *Lolium perenne*, 156.
teres, barley, 89, 134.
Hordeum vulgare, 89.
turcicum, *Sorghum halepense*, 158.
vulgare sudanense, 158.
Hendersonia curtisii, *Narcissus* sp., 278.
optuniae, *Optunia* sp., 279.
marioni, *Alternanthera phylloxeroides*,
269.
Althaea rosea, 260.
Antirrhinum majus, 262.
apple, 172.
bean, 222.
beet, 195.
Begonia sp., 264.
cabbage, 199.
cantaloupe, 204.
Cassia artemisicoides, 266.
occidentalis, 266.
celery, 193.
Cimicifuga foetida simplex, 267.
cotton, 67, 235.
cucumber, 206.
Cydonia japonica, 268.
eggplant, 226.
Euphorbia preslii, 270.
fig, 164.
Gardenia florida, 271.
grape, 185.
Ipomoea pes-caprae, 273.
tuberculata, 273.
turpethum, 273.
Iris spp., 274.
Lathyrus odoratus, 275.
lettuce, 212.
lima bean, 220.
Heterodera marioni,okra, 219.
Paeonia sp., 280.
parsnip, 219.
pea, 224.
peach, 161.
pepper, 201.
potato, 229.
Rosa spp., 284.
Schinus molle, 255.
Gesbania sp., 285.
Setaria verticillata, 157.
viridis, 157.
squash, 207.
sweet potato, 211.
tobacco, 237.
tomato, 217.
Tribulus terrestris, 287.
Tung oil tree, 242.
turnip, 200.
watermelon, 203.
schachtii, sugar beet, 68.
Heterosporium sp., *Angelica ampla*, 261.
Lolium spp., 156.
gracile, *Iris* sp., 89.
magnoliae, *Magnolia* spp., 247.
variable, spinach, 231.
High temperature, filbert, 187.
Hopper burn (leaf hopper), potato, 57,
230.
injury (leaf hopper), cowpea, 154.
Hormodendron sp., *Ulmus americana*, 258.
Hyalospora aspidiotus, *Phegopteris*
dryopteris, 92.
Hydnum erinsceus, *Quercus* spp., 253.
Hypoderma ilicinum, *Quercus marilandica*,
253.
Hypodermella abietis-concoloris, *Abies*
concolor, 240.
Hypoxyton pruinaum, poplar, 251.
I
Isariopsis griseola, bean, 221.
J
June yellows, strawberry, 166.

K

- Kuehneola uredinis*, blackberry, 180.
raspberry, 181.
Kunkelia nitens, blackberry, 180.
dewberry, 180.

L

- Leaf blight (bacterial), field corn, 147.
curl (virus), raspberry, 182.
drop (non-par.), cherry, 176.
plum, 177.
necrosis (undet.), grape, 185.
roll (virus), potato, 56, 229.
scorch (undet.), ash, 245.
(non-par.), *Juglans regia*, 188.
strawberry, 166.
spot (undet.), ash, 245.
field corn, 147.
(bacterial), *Forsythia* sp., 270.
(undet.), horseradish, 225.
oats, 132.
(non-par.), prune, 174.
(undet.), sweet clover, 151.
spotting (undet.), rice, 137.
Leopard spot (undet.), peppermint, 236.
Leptosphaeria coniothyrium, blackberry, 180.
dewberry, 180.
raspberry, 182.
salvini, rice, 137.
Leptothyrium dryinum, *Quercus imbricaria*, 253.
pomi, apple, 169.
Lightning injury, grape, 185.
potato, 231.
Little peach (virus), peach, 161, 162.
Lophodermium pinastri, *Pinus rigida*, 250.
strobis, 250.

M

- Macrophoma* sp., cotton, 234.
Pinus halepensis, 250.
Rosa spp., 283.
Salix spp., 255.

- Macrophoma candollei*, *Buxus sempervirens suffruticosa*, 264.
cupressi, *Cupressus pyramidalis*, 244.
Macrosporium sp., apple, 167.
chinaberry, 248.
Cynodon dactylon, 155.
Dahlia sp., 268.
horseradish, 224.
onion, 190.
parsley, 219.
Robinia pseudoacacia, 254.
Sophora, 286.
Ulmus americana, 258.
carotae, carrot, 208.
commune, *Syringa vulgaris*, 286.
cucumerinum, see *Alternaria cucumerina*.
ornatissi, sorghum, 139.
parasiticum, garlic, 191.
leek, 191.
porri, onion, 190.
puccinioides, *Hymenoclea monogyra*, 273.
sarcinaeforme, see *Thyrosopora sarcinaeformae*.
tomato, see *Alternaria tomato*.
Malnutrition, bean, 222.
buckwheat, 133.
cotton, 67, 235.
cucumber, 206.
field corn, 148.
lettuce, 212.
kohlrabi, 199.
lima bean, 220.
spinach, 232.
Marginal burning (undet.), pear, 179.
Marssonina sp., poplar, 251.
martini, *Quercus muhlenbergii*, 253.
populi, *Salix fragilis*, 255.
salicis, *Salix* spp., 255.
Marssonina panattoniana, endive, 202.
escarole, 202.
lettuce, 212.
potentillae, *Potentilla rivalis*, 87.
Measles (undet.), apple, 172.
Melampsora sp., poplar, 251.
abietis-canadensis, hemlock, 256.

- Melampsora abietis-canadensis*, poplar, 251.
bigelowii, *Salix* spp., 255.
lini, flax, 136.
medusae, 251.
 Populus deltoides, 251.
- Melampsoropsis ledicola*, *Picea glauca*,
 248.
- Melanconis juglandis*, *Juglans sieboldiana*,
 246.
- Melanconium fuliginum*, grape, 184.
- Melasmia menziesiae*, *Menziesia*
ferruginea, 86.
- Merulius tremellosus*, *Betula lutea*, 242.
- Microsphaera alni*, *Cornus occidentalis*,
 82.
 Lathyrus odoratus, 275.
 Lonicera sp., 277.
 ciliosa, 82.
 pecan, 187.
 Syringa vulgaris, 286.
 vaccinii, *Vaccinium corymbosum*,
 183.
 diffusa, lespedeza, 149.
 Symphoricarpos albus, 82.
 quercina, *Quercus alba*, 254.
- Mild mosaic (virus), potato, 230.
- Milesia polystichi*, *Polystichum munitum*,
 92.
- Molds, sorghum, 139.
- Monilochaetes infuscans*, sweet potato,
 211.
- Morenoella quercina*, *Quercus stellata*,
 254.
- Moron (undet.), potato, 231.
- Mosaic (virus), *Abutilon theophrasti*,
 260.
 alfalfa, 150.
 Amaranthus sp., 261.
 Antirrhinum majus, 262.
 Apium graveolens rapaceum, 193.
 apple, 172.
 Aquilegia sp., 262.
 bean, 62, 63, 64, 222.
 blackberry, 180.
 cabbage, 199.
 cantaloupe, 204.
 cauliflower, 197.
- Mosaic (virus), celery, 193.
 cherry, 176.
 cotton, 235.
 crotalaria, 149.
 cucumber, 206.
 Dahlia sp., 268.
 Delphinium sp., 269.
 dry beans, 64.
 eggplant, 226.
 field corn, 147.
 fig, 164.
 Gladiolus sp., 271.
 Iris spp., 274.
 Lathyrus odoratus, 276.
 lettuce, 212.
 Lilium spp., 277.
 mulberry, 173.
 Narcissus sp., 278.
 Nepeta cataria, 278.
 Paeonia albiflora, 280.
 pea, 224.
 peach, 161.
 pepper, 201.
 Petunia hybrida, 280.
 Physalis sp., 281.
 potato, 56, 230.
 pumpkin, 207.
 raspberry, 182.
 rhubarb, 226.
 Rosa spp., 284.
 Sapindus sp., 285.
 snap beans, 62, 63.
 soybean, 152.
 spinach, 232.
 squash, 207.
 sugar cane, 239.
 summer squash, 207.
 sweet potato, 211.
 tobacco, 237.
 tomato, 217.
 Tulipa sp., 287.
 turnip, 200.
 Ulmus spp., 259.
 Viola sp., 288.
 watermelon, 203.
 wheat, 144.
 Zantedeschia sp., 289.

- Mosaic (virus), *Zinnia elegans*, 289.
 Mosaic, western, celery, 193.
 Mouse ear (undet.), pecan, 188.
Mycosphaerella arbuticola, *Arbutus menziesii*, 242.
 brassicicola, Brussels sprouts, 199.
 cabbage, 198.
 chimaphilina, *Chimaphila corymbosa*, 84.
 citrullina, cantaloupe, 204.
 cucumber, 205.
 pumpkin, 207.
 squash, 206.
 colorata, *Kalmia latifolia*, 274.
 fragariae, strawberry, 75, 164.
 gossypina, cotton, 234.
 pachyasca, *Heuchera glabella*, 84.
 pachystimae, *Pachystima myrsinites*, 84.
 pinodes, pea, 65, 66, 223.
 pomi, apple, 169.
 quince, 163.
 rubi, blackberry, 180.
 dewberry, 180.
 logan blackberry, 181.
 raspberry, 182.
 Rubus sp., 84.
 youngberry, 183.
 rubina, blackberry, 180.
 raspberry, 182.
 sentina, pear, 178.
Myrothecium roridum, *Antirrhinum majus*, 261.
Myxosporium corticolum, apple, 169.
- Nectria* spp., *Quercus* spp., 254.
 Ulmus spp., 258.
 cinnabarina, beech, 245.
 Cydonia japonica, 268.
 Ulmus parvifolia, 258.
 ditissima, *Acer palmatum*, 240.
 platanoides, 240.
 pseudoplatanus, 240.
 saccharinum, 240.
 saccharum, 240.
 basswood, 256.
 horsechestnut, 241.
 Net necrosis, potato, 231.
Nummularia discreta, apple, 169.
 punctulata, *Quercus nigra*, 254.
Nyssopsora echinata, *Ligusticum leibergii*, 93.
- 0
- Oedema, cabbage, 199.
 pear, 179.
 Pelargonium sp., 280.
Oidium sp., *Euonymus* sp., 270.
 Lagerstroemia sp., 275.
 Phlox sp., 280.
 Viburnum sp., 288.
Olpitrichum carpophilum, cotton, 234.
Oospora lactis, nectarine, 162.
Ophiobolus sp., rice, 137.
 graminis, *Triticum aestivum*, 85.
 wheat, 85, 141.
Ovularia lolii, *Lolium perenne*, 156.
 viciae, *Vicia americana*, 88.

N

- Necrotic ring mosaic (virus), broccoli, 196.
 Brussels sprouts, 199.
 cauliflower, 197.
Nectria spp., basswood, 256.
 Betula spp., 242.
 lutea, 242.
 populifolia, 242.
 Liriodendron tulipifera, 247.
 poplar, 251.

P

- Penicillium* spp., apple, 169.
 field corn, 145, 146, 147.
 sorghum, 139.
 squash, 206.
 strawberry, 164.
 sweet corn, 145.
 Symphoricarpos sp., 286.
 expansum, apple, 169.
 pear, 178.
 gladioli, *Gladiolus* sp., 271.

- Peridermium balsameum*, *Abies balsamea*, 240.
Peronospora sp., cowpea, 154.
 destructor, onion, 190.
 effusa, *Chenopodium album*, 81.
 spinach, 231.
 manshurica, soybean, 152.
 parasitica, broccoli, 196.
 cabbage, 198.
 cauliflower, 196.
 Lepidium sp., 276.
 radish, 225.
 rutabaga, 195.
 schachtii, beet, 194.
 sparsa, *Rosa* sp., 81.
 tabacina, tobacco, 236.
 trifoliorum, alfalfa, 149.
 Medicago sativa, 81.
 Trifolium pratense, 152.
 viciae, pea, 223.
 Pisum sativum, 81.
Pestalozzia sp., *Rosa* spp., 283.
 funerea, *Cupressus arizonica*, 244.
 pyramidalis, 244.
 sempervirens, 244.
 Euonymus sp., 270.
 Juniperus spp., 247.
 guepini, *Canellia japonica*, 265.
 Ligustrum sp., 276.
 Magnolia spp., 247.
 Rhododendron spp., 282.
 macrotricha, *Rhododendron* spp., 282.
Peziza vesiculosa, cabbage, 198.
Phleospora maculans, mulberry, 173.
Phlyctaena linicola, flax, 136.
Pholiota adiposa, basswood, 256.
Phoma sp., *Antirrhinum majus*, 261.
 Cydonia japonica, 260.
 Kerria japonica, 275.
 potato, 228.
 Rosa spp., 283.
 Syringa vulgaris, 286.
 Ulmus spp., 259.
 wheat, 141.
 anethi, *Anethum graveolens*, 191.
 apiicola, celery, 192.
 berberina, *Berberis thunbergii*, 264.
 Phoma betae, beet, 194.
 sugar beet, 68, 239.
 corni, *Cornus paniculata*, 244.
 destructiva, pepper, 201.
 tomato, 215.
 herbarum, *Hymenoclea monogyra*, 273.
 lingam, broccoli, 196.
 Brussels sprouts, 199.
 cabbage, 198.
 cauliflower, 196.
 marica, *Lonicera tatarica*, 277.
 medicaginis, *Medicago sativa*, 85.
 persicae, peach, 159.
 pemi, see *Mycosphaerella pemi*.
 terrestris, leek, 191.
 onion, 189, 190.
 zeicola, field corn, 146.
Phomopsis sp., *Acer palmatum*, 240.
 Azalea, 263.
 Betula populifolia, 242.
 Gardenia florida, 271.
 Magnolia spp., 247.
 Rhododendron carolinianum, 282.
 Salix spp., 255.
 Taxus hicksi, 256.
 Ulmus americana, 259.
 Vaccinium corymbosum, 183.
 Viburnum opulus, 288.
 callistephi, *Callistephus chinensis*, 265.
 crustosa, *Ilex* spp., 246.
 juniperovora, *Cupressus sempervirens*, 244.
 Juniperus spp., 247.
 virginiana, 247.
 kalmiae, *Kalmia latifolia*, 274.
 lirella, *Vinca minor*, 288.
 oblonga, *Ulmus americana*, 259.
 glabra camperdowni, 259.
 vexans, eggplant, 226.
Phony peach (virus), peach, 161.
Phoredendron flavescens, hackberry, 243.
 Maclura pomifera, 247.
 Prosopis glandulosa, 252.
Phragmidium sp., *Rosa* spp., 283.
 disciflorum, *Rosa* sp., 93.
 ivesiae, *Potentilla blaschkeana*, 93.

- Phragmidium montivagum*, *Rosa* spp., 93, 283.
occidentale, *Rubus parviflorus*, 93.
peckianum, *Rubus bartonianum*, 93.
rosae-acicularis, *Rosa* sp., 93.
 Rosa gymnocarpa, 93.
rosae-californicae, *Rosa pisocarpa*,
 93.
rubi-idaei, raspberry, 182.
speciosum, *Rosa* sp., 93.
subcorticinum, *Rosa* spp., 283.
Phyllachora sp., *Elymus condensatus*, 156.
trifolii, clover, 152.
 Trifolium sp., 84.
 pratense, 84.
Phyllactinia corylea, filbert, 186.
 Ilex opaca, 246.
 Quercus spp., 254.
Phyllosticta sp., bitter almond, 242.
 Catalpa spp., 243.
 Convallaria majalis, 267.
 field corn, 146.
 Ilex sp., 246.
 Leucothoe catesbaei, 276.
 Magnolia spp., 247.
 Mahonia aquifolium, 277.
 Opuntia sp., 279.
 pepper, 201.
 acericola, *Acer platanoides*, 240.
 alcides, *Populus carolinensis*, 251.
 antirrhini, *Antirrhinum majus*, 262.
 arnicae, *Arnica cordifolia*, 262.
 bumeliifolia, *Bumelia* sp., 264.
 caryae, pecan, 187.
 catalpae, *catalpa*, 243.
 concentrica, *Hedera helix*, 272.
 cookei, *Magnolia glauca*, 247.
 cucurbitacearum, cantaloupe, 204.
 gallicola, *Solidago missouriensis*,
 85.
 ginkgo, *Ginkgo biloba*, 245.
 globigera, *Pyrus sitchensis*, 85.
 innumerabilis, *Amelanchier* sp., 261.
 labruscae, *Ampelopsis* sp., 261.
 liriodendrica, *Liriodendron tulipifera*,
 247.
 maculicola, *Cordyline terminalis*, 267.
 magnoliae, *Magnolia grandiflora*, 247.
 Phyllosticta mahoniaecola, *Mahonia*
 repens, 85.
 minima, maple, 240.
 ribesicida, *Ribes petiolare*, 85.
 saccardoi, *Rhododendron* spp., 282.
 solitaria, apple, 70, 169.
 straminella, rhubarb, 225.
 virginica, *Prunus melanocarpa*, 252.
 pennsylvanica, 252.
 viridis, *Fraxinus lanceolata*, 245.
Phymatotrichum omnivorum, *Acer* spp., 240.
 negundo, 240.
 alfalfa, 149.
 Althaea rosea, 260.
 Antirrhinum majus, 262.
 apricot, 173.
 Aster sp., 263.
 bean, 221.
 beet, 194.
 Broussonetia papyrifera, 264.
 cantaloupe, 204.
 carrot, 208.
 Cassia artemisioides, 266.
 catalpa, 243.
 Cercis occidentalis, 243.
 chinaberry, 248.
 Chrysanthemum hortorum, 266.
 cotton, 67, 235.
 cowpea, 154.
 cucumber, 205.
 Cupressus sp., 244.
 arizonica, 244.
 Dahlia sp., 268.
 Delphinium sp., 269.
 dewberry, 181.
 Dianthus sp., 269.
 endive, 202.
 Erythrina arborea, 270.
 escarole, 202.
 Euonymus sp., 270.
 Euphorbia marginata, 270.
 Gardenia florida, 271.
 Ginkgo biloba, 245.
 grape, 185.
 Helianthus sp., 272.
 Hibiscus sabdariffa, 273.
 syriacus, 273.

- Phymatotrichum omnivorum*, *Juniperus virginiana*, 247.
Lagerstroemia sp., 275.
 lettuce, 212.
Ligustrum sp., 276.
Lonicera sp., 277.
Matthiola sp., 277.
 mulberry, 173.
Nerium oleander, 279.
 okra, 210.
 pea, 223.
 peanut, 233.
 pecan, 188.
 pepper, 201.
 persimmon, 244.
Physalis sp., 281.
Poinsettia pulcherrima, 281.
 poplar, 251.
 potato, 228.
Prosopis glandulosa, 252.
Pueraria thunbergiana, 282.
Quercus durandii, 254.
 macrocarpa, 254.
 phellos, 254.
 virginiana, 254.
 raspberry, 182.
 rhubarb, 225.
Robinia pseudoacacia, 254.
Rosa spp., 284.
Salix babylonica, 255.
 discolor, 255.
Sambucus sp., 285.
Schinus molle, 255.
Sesbania sp., 285.
 soybean, 152.
 sugar beet, 239.
 sweet potato, 211.
Syringa vulgaris, 286.
Tilia americana, 256.
 turnip, 200.
Ulmus americana, 259.
 parvifolia, 259.
Weigela sp., 239.
 youngberry, 183.
Physalospora gregaria, *Salix* spp., 255.
 obtusa, apple, 70, 168, 170.
 Citrus trifoliata, 267.
Physalospora obtusa, *Cydonia japonica*, 268.
 pear, 178.
 persimmon, 244.
 quince, 163.
Physarum sp., *Cynodon dactylon*, 155.
 cinereum, alfalfa, 149.
 undet. *Gramineae*, 159.
Physoderma zeae-maydis, field corn, 146.
Physopella fici, fig, 163.
Phytomonas sp., pear, 179.
Phytophthora sp., *Antirrhinum majus*, 262.
 ginseng, 238.
 Lilium sp., 277.
 Lolium spp., 156.
 Paeonia sp., 280.
 rhubarb, 225.
 Senecio cruentus, 285.
 tomato, 215.
 Zantedeschia sp., 289.
 cactorum, peach, 160.
 Rhododendron spp., 282.
 rhubarb, 225.
 citrophthora, almond, 186.
 cryptogea, *Callistephus chinensis*, 265.
 infestans, potato, 56, 228.
 tomato, 215.
 megasperma, cauliflower, 196.
 parasitica, rhubarb, 225.
 tomato, 215.
 nicotianae, tobacco, 236.
 phaseoli, bean, 221.
 lima bean, 219.
 terrestris, see *Phytophthora parasitica*.
Piricularia grisea, undet. *Gramineae*, 159.
 oryzae, rice, 137.
Plasmodiophora brassicae, broccoli, 196.
 cabbage, 198.
 cauliflower, 197.
 collards, 196.
 kohlraabi, 199.
 radish, 225.
 rutabaga, 195.
 turnip, 200.

- Plasmopara halstedii*, *Helianthus* sp., 272.
viticola, grape, 135.
Plenodomus destruens, sweet potato, 211.
Pleospora sp., sycamore, 251.
tropaeoli, *Tropaeolum majus*, 287.
Pleurotus ulmarius, *Ulmus* spp., 259.
Plowrightia morbosa, cherry, 175.
 plum, 176.
Prunus demissa, 84.
melanocarpa, 252.
Podosphaera leucotricha, apple, 170.
oxycanthae, *Amygdalus persica*, 82.
 cherry, 175.
Prunus sp., 82.
pennsylvanica, 82.
Pyrus malus, 82.
Polyporus spp., *Quercus* spp., 254.
betulinus, *Betula populifolia*, 242.
conchifer, *Ulmus* spp., 259.
robiniophilus, *Robinia pseudoacacia*,
 254.
Polyspora lini, flax, 136.
Polystictus versicolor, apple, 170.
 Poor germination, cotton, 235.
 Powdery mildew (undet.), apricot, 174.
Astilbe arendsii, 263.
 (undet.), *Euonymus* sp., 270.
Pseudomonas sp., *Pelargonium* sp., 280.
carotae, carrot, 209.
holci, *Setaria lutescens*, 157.
Pseudoperonospora cubensis, cantaloupe,
 204.
 cucumber, 205.
 gourd, 208.
 pumpkin, 207.
 squash, 206.
 watermelon, 203.
Pseudopeziza medicaginis, alfalfa, 83,
 149.
Medicago sativa, 83.
trifolii, *Trifolium* spp., 152.
pratense, 83, 152.
repens, 152.
 Psyllid yellows, potato, 231.
Puccinia absinthii, *Artemisia cana*, 263.
tridentata, 94.
anomala, barley, 94, 134.
Puccinia anomala, *Hordeum vulgare*, 94.
antirrhini, *Antirrhinum majus*, 94,
 262.
aristidae, *Distichlis stricta*, 156.
asparagi, asparagus, 94, 194.
officinalis, 94.
balsamorhizae, *Balsamorhiza*
sagittata, 94.
bistortae, *Polygonum bistortoides*,
 94.
calochorti, *Calochortus elegans*, 94.
caricis grossulariata, *Grossularia*
inermis, 94.
Ribes sp., 94.
petiolare, 94.
urticata, *Carex rostrata*, 266.
Urtica dioica, 94.
chrysanthemi, *Chrysanthemum* sp., 94.
hortorum, 266.
circaeae, *Circaea pacifica*, 94.
cirsii, *Cirsium palousense*, 94.
clintonii, *Pedicularis groenlandica*,
 94.
cnici, *Cirsium lanceolatum*, 95.
coronata, *Calamagrostis rubescens*,
 95.
Cinna latifolia, 95.
Holcus lanatus, 95, 156.
Lolium multiflorum, 156.
 oats, 51, 131.
Rhamnus alnifolia, 95.
Shepherdia canadensis, 95.
 wild oat, 155.
crandallii, *Symphoricarpos* sp., 95.
albus, 95.
cyani, *Centaurea cyanus*, 95.
difformis, *Galium aparine*, 95.
extensicola, *Carex pennsylvanica*,
 266.
hieraciata, *Senecio columbianus*,
 95.
gentianae, *Gentiana parryi*, 95.
glumarum, *Agropyron cristatum*, 95.
Bromus marginatus, 95.
rubens, 95.
vulgaris, 81.

- Puccinia glumarum*, *Elymus condensatus*,
 95.
 glaucus, 95.
Festuca octoflora, 95.
Hordeum jubatum, 95.
 nodosum, 96.
 vulgare, 96.
Hystrix californica, 96.
Triticum aestivum, 96.
 compactum, 96.
graminis, *Agropyron inerme*, 154.
 pauciflorum, 154.
 repens, 154.
 smithii, 154.
 spicatum, 154.
 barley, 48.
Berberis vulgaris, 96.
Bromus marginatus, 155.
Elymus canadensis, 96, 156.
 condensatus, 156.
 glaucus, 96.
Hordeum jubatum, 96, 156.
 nodosum, 156.
 vulgare, 96.
 oats, 51.
 redtop, 154.
 rye, 50.
Sporobolus cryptandrus, 158.
 wheat, 46, 141.
avenae, *Avena sativa*, 96.
 oats, 9, 96, 131.
phlei-pratensis, *Phleum pratense*,
 96, 157.
poae, *Poa bulbosa*, 157.
 pratensis, 157.
secalis, rye, 9, 138.
tritici, barley, 9, 134.
 Triticum aestivum, 96.
 wheat, 19, 31.
helianthi, artichoke, Jerusalem, 209.
 Helianthus sp., 96.
 angustifolius, 272.
 annuus, 272.
 nana, 272.
heterospora, *Althae rosea*, 260.
 Anoda lavateroides, 261.
heucherae, *Mitella pentandra*, 278.
- Puccinia heucherae*, *Mitella staurocypetala*,
 96.
 Tiarella unifoliata, 96.
hieracii, *Hieracium albiflorum*, 96.
 Taraxacum officinale, 96, 287.
interveniens, *Sidalcea crenulata*,
 96.
iridis, *Iris spp.*, 274.
jonesii typica, *Leptotaenia*
 multifida, 97.
malvacearum, *Althaea rosea*, 97, 260.
 Malva rotundifolia, 97.
menthae, *Salvia splendens*, 284.
mesomajalis, *Clintonia uniflora*, 97.
mcclatchieana, *Scirpus microcarpus*,
 97.
minussensis, *Lactuca pulchella*, 97.
obscura, *Luzula campestris*, 97.
oenotherae, *Sphaerostigma contortum*,
 97.
ortonii, *Dodecatheon pauciflorum*, 97.
parkeræ, *Ribes lacustre*, 97.
pattersoniana, *Sitanion jubatum*, 97.
pentstemonis, *Pentstemon triphyllus*,
 97.
peridermiospora, *Fraxinus americana*,
 245.
phragmitis, *Phragmites communis*, 157.
 rhubarb, 225.
pimpinellae, *Osmorrhiza brevipes*, 98.
plumbaria, *Microsteris gracilis*, 98.
 humilis, 98.
podophylli, *Podophyllum peltatum*,
 281.
polygoni-amphibii persicariae,
 Polygonum muhlenbergii,
 98.
porphyrogenita, *Cornus canadensis*,
 98.
porri, *Allium schoenoprasum*, 98.
pulsatillae, *Trautvetteria grandis*,
 98.
purpurea, sorghum, 139.
 halepense, 158.
 vulgare sudanense, 158.
ribis, *Ribes triste*, 98.
rubigo-vera agropyri, *Aquilegia*
 formosa, 98.

- Puccinia rubigo-vera agropyri*, *Clematis*
ligusticifolia, 98.
Delphinium nelsonii, 98.
Viorna hirsutissima, 98.
agropyrina, *Agropyron repens*,
 98, 154.
violaceum, 154.
anocrypta, *Hydrophyllum albi-*
frons, 98.
Mertensia lanceolata, 98.
subcordata, 98.
secalis, rye, 50, 99, 138.
Secale cereale, 99.
tritici, *Triticum aestivum*, 99.
compactum, 99.
 wheat, 31, 46, 99, 142.
sambuci, *Sambucus* sp., 285.
schedonnardi, cotton, 234.
sorghii, field corn, 146.
 sweet corn, 148.
splendens, *Hymenoclea monogyra*, 273.
stipae, *Chrysothamnus* sp., 99.
trititina, see *P. rubigo-vera tritici*.
vagens epilobii-tetragoni, *Epilobium*
paniculatum, 99.
violae, *Viola* sp., 99.
adunca, 99.
canadensis, 99.
glabella, 99.
odorata, 288.
xanthii, *Xanthium speciosum*, 99.
Pucciniastrum americanum, raspberry, 182.
goeppertianum, *Vaccinium* sp., 92.
myrtilus, 287.
myrtilli, hemlock, 256.
Vaccinium macrophyllum, 92.
Pyrenopeziza medicaginis, alfalfa, 150.
Medicago sativa, 83.
Pyrenophora teres, barley, 48, 134.
Pythium spp., alfalfa, 150.
 bean, 221.
 beet, 195.
 cabbage, 198.
 cotton, 235.
 field corn, 145, 146.
 flax, 136.
 onion, 190.
Pythium spp., pea, 223.
Pinus sp., 250.
 radish, 225.
 spinach, 232.
 tobacco, 236.
aphanidermatum, radish, 225.
arrhenomanes, sorghum, 139.
 sugar cane, 239.
debaryanum, beet, 195.
 cantaloupe, 204.
 celery, 192.
 cucumber, 205.
 flax, 136.
Gypsophila alba, 272.
 mangel, 195.
 pepper, 201.
Polianthes tuberosa, 281.
Solanum tuberosum, 80.
 sugar beet, 239.
 tobacco, 236.
 ultimum, sweet potato, 211.
- R
- Ramularia* sp., *Viola* sp., 288.
armoraciae, horseradish, 224.
arnicalis, *Arnica cordifolia*, 88.
diervillae, *Weigela* sp., 289.
pastinacae, parsnip, 219.
primulae, *Primula parryi*, 282.
taraxaci, *Taraxacum officinale*, 88,
 287.
tulasnei, *Fragaria bracteata*, 83.
platypetala, 83.
vallisumbrosae, *Narcissus* sp., 278.
variata, *Mentha canadensis borealis*,
 88.
Ravenelia arizonica, *Prosopis glandu-*
losa, 252.
 Red suture (virus), peach, 162.
 tip (frost injury), cats, 132.
Rehmiellopsis bohemica, *Abies balsamea*,
 240.
lasiocarpa, 240.
Rhabdocline pseudotsugae, Douglas fir,
 252.
Rhizina inflata, *Pinus glauca*, 250.

- Rhizina inflata*, *Pinus resinosa*, 250.
Rhizoctonia sp., alfalfa, 150.
 asparagus, 194.
 beet, 195.
 Begonia sp., 263.
 cabbage, 193.
 Centaurea cyanus, 266.
 cotton, 234.
 cowpea, 154.
 flax, 135, 136.
 Foeniculum vulgare, 209.
 Hibiscus sabdariffa, 273.
 Lilium spp., 277.
 Matthiola incana, 277.
 okra, 210.
 Phlox paniculata, 230.
 Picea rubra, 243.
 Pinus sp., 250.
 Poa pratensis, 157.
 potato, 56.
 Primula sp., 282.
 radish, 225.
 rhubarb, 226.
 spinach, 232.
 strawberry, 164.
 Tagetes sp., 286.
 Tropaeolum majus, 287.
 watermelon, 203.
 Zinnia elegans, 289.
bataticola, bean, 221.
 cantaloupe, 204.
 cowpea, 154.
 Lilium philippinensis, 277.
 sorghum, 139.
 sweet potato, 211.
 Zinnia elegans, 289.
crocorum, alfalfa, 150.
 sweet potato, 211.
solani, *Clarkia* sp., 267.
 Dianthus caryophyllus, 269.
 Gypsophila alba, 272.
 Matthiola sp., 277.
 see also *Corticium vagum*.
 tuliparum, *Tulipa* sp., 287.
Rhizopus sp., field corn, 146, 147.
 squash, 206.
 nigricans, cantaloupe, 204.
 onion, 190.
 strawberry, 165.
 sweet potato, 211.
Rhynchosporium secalis, barley, 88, 134.
 Hordeum vulgare, 88.
 rye, 138.
Rhytisma sp., *Quercus virginiana*, 254.
 acerinum, *Acer* spp., 241.
 rubrum, 241.
 saccharinum, 241.
 spicatum, 241.
 liriodendri, *Liriodendron tulipifera*, 247.
 punctatum, *Acer* spp., 241.
 rubrum, 241.
 saccharum, 241.
 spicatum, 241.
 solidaginis, *Solidago canadensis*, 236.
 Ring spot (virus), *Dahlia* sp., 263.
 pepper, 201.
 tobacco, 233.
 Root rots, carrot, 209.
 corn, 52.
 dry beans, 64.
 field corn, 147.
 flax, 136.
 grape, 185.
 green peas, 65, 66.
 horseradish, 225.
 Lilium longiflorum giganteum, 277.
 Narcissus sp., 278.
 snap beans, 62, 63.
 strawberry, 75, 165.
 wheat, 140.
 Rootstock decay (Bacterial), *Iris* spp., 274.
 Rosette (undet.), apple, 172.
 (virus), peach, 162.
 (non-par.), pecan, 188.
 Rough bark (non-par.), pear, 179.
 Rugose mosaic (virus), potato, 230.
 Russet fruit (undet.), grape, 185.

S

- Sacidum ulmifoliae*, *Ulmus parvifolia*, 259.
Schizophyllum sp., apple, 170.
Sclerospora graminicola, *Setaria viridis*, 157.
Sclerotinia sp., *Aquilegia* sp., 262.
 Pisum sativum, 83.
 prune, 174.
 betulae, *Betula nigra*, 242.
 carunculoides, mulberry, 173.
 cinerea, almond, 186.
 apricot, 174.
 prune, 174.
 demissa, *Prunus demissa*, 252.
 fructicola, apricot, 174.
 cherry, 73, 175.
 Cydonia japonica, 268.
 nectarine, 162.
 peach, 72, 160.
 pear, 173.
 plum, 176.
 Prunus glandulosa, 252.
 gladioli, *Gladiolus* sp., 271.
 minor, potato, 220.
 sclerotiorum, *Antirrhinum majus*, 262.
 apricot, 174.
 bean, 221.
 cabbage, 198.
 Calendula officinalis, 265.
 carrot, 208.
 cauliflower, 197.
 celery, 192.
 collards, 196.
 cucumber, 205.
 endive, 202.
 flax, 136.
 Helianthus sp., 272.
 lettuce, 212.
 Matthiola sp., 278.
 Melilotus alba, 151.
 indica, 151.
 parsnip, 219.
 pea, 224.
 pepper, 201.
 potato, 228.
 strawberry, 165.
 tomato, 215.
 Sclerotinia trifoliorum, alfalfa, 150.
 Medicago sativa, 83.
 Melilotus alba, 83.
 Trifolium spp., 153.
 hybridum, 83.
 incarnatum, 153.
 medium, 153.
 pratense, 83, 153.
 vaccinii, *Vaccinium corymbosum*, 184.
 Sclerotium, cotton, 234.
 cepivorum, onion, 190.
 delphinii, *Aquilegia vulgaris*, 262.
 Delphinium sp., 269.
 Hosta subcordata grandiflora, 273.
 Lupinus sp., 277.
 Phlox paniculata, 280.
 Physostegia virginiana, 231.
 Potentilla canadensis, 282.
 Viola sp., 288.
 oryzae, rice, 137.
 rhizodes, undet. Gramineae, 159.
 rolfsii, *Antirrhinum majus*, 262.
 artichoke, Jerusalem, 210.
 bean, 221.
 beet, 195.
 cabbage, 198.
 Calendula officinalis, 265.
 cantaloupe, 204.
 carrot, 208.
 cotton, 235.
 cowpea, 154.
 cucumber, 205.
 Delphinium sp., 269.
 eggplant, 226.
 endive, 202.
 escarole, 202.
 Iris spp., 274.
 mangel, 195.
 Mitchella repens, 278.
 onion, 190.
 peanut, 233.
 pepper, 201.
 potato, 229.
 soybean, 152.
 sweet clover, 151.
 sweet potato, 211.
 tobacco, 236.

- Sclerotium rolfsii*, tomato, 215.
 tung oil tree, 242.
 wheat, 142.
- Scolecotrichum graminis*, *Bromus*
carinatus, 155.
Cinna latifolia, 89.
Elymus canadensis, 156.
Hordeum jubatum, 89.
nodosum, 89.
Lolium spp., 156.
 wild barley, 156.
- Scorch, pea, 224.
- Scorias spongiosa*, beech, 245.
- Selenium injury, *Rosa* spp., 284.
- Septobasidium* sp., *Ulmus crassifolia*,
 259.
retiforme, pear, 178.
- Septoria* sp., barley, 134.
Lolium spp., 156.
Phlox sp., 281.
 poplar, 251.
acicola, *Pinus* sp., 250.
apii, celery, 192.
graveolentis, celery, 192.
asaricola, *Asarum caudatum*, 85.
azaleae, *Azalea* spp., 263.
indica, 263.
hinodegiri, 263.
occidentalis, 263.
bromigena, *Bromus inermis*, 155.
chrysanthemella, *Chrysanthemum*
hortorum, 267.
cornicola, *Cornus florida*, 244.
cucurbitacearum, cantaloupe, 204.
fairmani, *Althaea rosea*, 260.
fraxini, ash, 245.
gladioli, *Gladiolus* sp., 271.
graminum, *Dactylis glomerata*, 155.
grossulariae, *Ribes lacustre*, 85.
hyalina, *Viola glabella*, 85.
lactucae, lettuce, 212.
lycopersici, tomato, 58, 60, 215.
magnoliae, *Magnolia grandiflora*, 247.
menthicola, *Mentha canadensis*, 85.
nodorum, wheat, 142.
obesa, *Chrysanthemum hortorum*, 267.
- Septoria oxyspora culmorum*, *Dactylis*
glomerata, 86.
paeoniae berolinensis, *Paeonia* sp.,
 280.
passerinii, wild barley, 156.
pisi, pea, 224.
populicola, poplar, 252.
rumicis, *Rumex crispus*, 86.
streptopidis, *Disporum majus*, 86.
tritici, *Triticum aestivum*, 86.
 wheat, 86, 143.
verbascicola, *Verbascum blattaria*,
 288.
- Sheath spot (undet.), oats, 132.
- Shot hole (undet.), plum, 177.
- Shrivel (undet.), filbert, 187.
- Slime mold, undet. Gramineae, 158.
- Sorosporium reilianum*, field corn, 146.
sorghum, 139.
syntherismae, *Cenchrus tribuloideus*,
 90.
Panicum miliaceum, 90.
- Sphaceloma rosarum*, *Rosa* spp., 284.
violae, *Viola odorata*, 288.
- Sphacelotheca andropogonis*, *Andropogon*
furcatus, 154.
scoparius, 154.
sorghum, *sorghum*, 139.
halepense, 158.
- Sphaerella rumicis*, *Rumex obtusifolius*,
 84.
- Sphaerographium fraxini*, *Fraxinus*
americana, 245.
- Sphaeropsis* sp., *Abies concolor*, 240.
Cedrus deodara, 243.
Fraxinus americana, 245.
Ilex spp., 246.
Sorbus sp., 256.
Ulmus americana, 259.
- ellisii*, Douglas fir, 252.
Pinus montana, 250.
nigra, 250.
resinosa, 250.
sylvestris, 250.
- malorum*, *Abies concolor*, 240.

- Sphaeropsis salicis*, *Salix* spp., 255.
Sphaerotheca sp., *Rosa* spp., 284.
 spp., *Taraxacum officinale*, 287.
castagnei, *Geranium viscosissimum*,
 82.
Taraxacum officinale, 287.
humuli, blackberry, 180.
Forsellesia spinescens, 82.
 hops, 235.
Polemonium micranthum, 82.
 raspberry, 182.
Rosa spp., 284.
Senecio sp., 285.
 strawberry, 165.
Taraxacum officinale, 287.
fuliginea, *Taraxacum officinale*,
 82.
mors-uvae, *Ribes* sp., 82.
pannosa, nectarine, 162.
 peach, 160.
Rosa spp., 82, 284.
 Spindle tuber (virus), potato, 230.
 Spindling sprout, potato, 231.
Spondylocladium atrovirens, potato, 89,
 229.
Solanum tuberosum, 89.
Spongospora subterranea, potato, 229.
Sporocybe azaleae, azalea, 263.
Sporodesmium scorzonerae, salsify, 232.
 Spotted wilt (virus), *Callistephus*
chinensis, 265.
 lettuce, 212.
 pepper, 201.
 tomato, 218.
Tropaeolum majus, 287.
Vicia faba, 153.
Zantedeschia sp., 289.
 Spray injury, apple, 172.
 plum, 177.
Stagonospora sp., *Juniperus virginiana*,
 247.
atriplicis, *Chenopodium album*, 86.
curtisii, *Narcissus* sp., 278.
 Stalk rots, corn, 52.
 field corn, 147.
Steganosporium pyriforme, *Acer*
platanoides, 241.
 Stem end rot (undet.), potato, 231.
 Stem rot (undet.), *Gardenia florida*, 271.
 (undet. fungus), *Senecio*
cruentus, 285.
 rust epidemic of 1935 in Kansas,
 19-30.
 rust epidemic of 1935 in Nebraska,
 1-18.
 rust epidemic in North Texas, 31-41.
Stereum sp., apple, 170.
 spp., *Quercus* spp., 254.
purpureum, apple, 170.
 cherry, 175.
 pear, 178.
 prune, 174.
Salix spp., 255.
Stilbum cinnabarinum, fig, 163.
 Storage rots, sweet potato, 55, 211.
 Straight head (undet.), rice, 137.
 Streak (virus), pea, 224.
 potato, 230.
 raspberry, 183.
 tomato, 218.
 vetch, 153.
 Stripe (virus), field corn, 147.
Strumella sp., beech, 245.
 hickory, 245.
Ostrya virginiana, 248.
 sour gum, 248.
 canker, *Castanea dentata*, 243.
coryneoidea, *Quercus* spp., 254.
 Stunt (virus), *Delphinium* sp., 269.
 Sulphur dioxide injury, *Lathyrus*
odoratus, 276.
 Sun scald (non-par.), apple, 172.
 filbert, 187.
Juglans regia, 189.
 pepper, 202.
 potato, 231.
 Suspected mosaic, strawberry, 166.

T

- Taphrina* sp., *Acer* spp., 241.
 saccharum, 241.
Betula lutea, 242.
Prunus besseyi, 252.
aurea, *Pinus nigra italica*, 252.
cerasi, cherry, 175.

- Taphrina coerulescens*, *Quercus* spp., 254.
deformans, cherry, 175.
 peach, 72, 160.
mirabilis, plum, 176.
pruni, plum, 177.
- Testicularia cyperi*, *Rynchospora*
corniculata, 284.
- Thelephora retiformis*, hackberry, 243.
terrestris, *Pinus* sp., 250.
- Thielaviopsis basicola*, *Lathyrus*
odoratus, 275.
 onion, 190.
 tobacco, 237.
- Thyrospora sarcinaeformae*, alfalfa, 150.
- Tilletia* spp., wheat, 46.
buchloeana, buffalo grass, 155.
guyotiana, *Bromus mollis*, 91.
horrida, rice, 137.
laevis, *Triticum aestivum*, 91.
 wheat, 143.
tritici, *Triticum aestivum*, 91.
 wheat, 143.
- Tipburn*, cabbage, 199.
 filbert, 187.
 potato, 57, 230.
- Titea* spp., *Lolium* spp., 156.
- Tolyposporella nolinae*, *Nolina*
macrocarpa, 279.
- Trabutia erythrospora*, *Quercus virginiana*,
 254.
- Tranzschelia pruni-spinosae*, *Anemone*
coronata, 261.
 apricot, 174.
 ornamental peach, 242.
 peach, 160.
 plum, 177.
- Trichothecium lignorum*, azalea, 263.
- Tubercularia fici*, fig, 163.
nigricans, *Ampelopsis aconitifolia*,
 261.
- Tubers but no tops (non-par.), potato,
 231.
- Typhula graminum*, *Agropyron cristatum*,
 100.
Dactylis glomerata, 100.
Hordeum vulgare, 100.
Triticum aestivum, 100.
- U
- Uncinula circinata*, maple, 241.
Sapindus sp., 285.
flexuosa, horsechestnut, 241.
necator, grape, 185.
Psedera quinquefolia, 82.
polychaeta, hackberry, 243.
salicis, *Salix* spp., 255.
- Uredinopsis macrosperma*, *Pteridium*
aquilinum pubescens, 92.
struthiopteridis, *Athyrium*
cycloscrum, 92.
- Urocystis carcinodes*, *Actaea rubra*, 91.
cepulae, onion, 190.
occulta, rye, 50, 138.
trillii, *Trillium ovatum*, 91.
tritici, wheat, 143.
- Uromyces* spp., clover, 153.
caryophyllinus, *Dianthus* sp., 99, 269.
caryophyllus, 269.
elegans, *Trifolium carolinianum*, 153.
fabae, *Lathyrus bijugatus*, 99.
 pea, 224.
Vicia faba, 153.
heterodermus, *Erythronium grandiflorum*, 99.
medicaginis, alfalfa, 150.
minor, *Trifolium parryi*, 153.
phaseoli typica, bean, 221.
 dry beans, 64.
 snap beans, 62, 63.
polygona, *Polygonum aviculare*, 99.
primaveralis, *Nothoscordium*
bivalve, 279.
probus, *Olsynium grandiflorum*, 100.
proeminens, *Poinsettia pulcherrima*,
 281.
rudbeckiae, *Rudbeckia occidentalis*,
 100.
spermacoces, *Abutilon*, 260.
trifolii fallens, *Trifolium* spp.,
 153.
pratense, 100, 153.
subterraneum, 153.
hybridi, *Trifolium hybridum*,
 100, 153.

- Uromyces trifolii, trifolii-repentis,
 Trifolium repens, 100.
 vignae, cowpea, 154.
 zygadeni, Zygadenus venenosus, 100.
 Ustilago spp., barley, 48.
 avenae, Avena sativa, 90.
 oats, 51, 132.
 boutelouae, blue grama, 155.
 bromivora, Bromus carinatus, 90.
 marginatus, 90.
 tectorum, 90, 155.
 crameri, Setaria italica, 157.
 cynodontis, Cynodon dactylon, 155.
 echinata, Phalaris arundinacea, 157.
 hordei, barley, 48, 134.
 Hordeum vulgare, 90.
 hypodytes, Poa ampla, 157.
 ischaemi, Andropogon scoparius, 155.
 levis, Avena sativa, 91.
 oats, 51, 132.
 lorentziana, Hordeum jubatum, 91.
 nodosum, 91.
 wild barley, 156.
 medians, barley, 135.
 neglecta, Setaria lutescens, 157.
 nigra, barley, 135.
 nuda, barley, 135.
 Hordeum vulgare, 91.
 oxalidis, Oxalis corniculata, 279.
 perennans, Arrhenatherum elatius, 91.
 striaeformis, Elymus sp., 91.
 undet. Gramineae, 159.
 Elymus virginicus, 156.
 Phleum pratense, 91.
 tritici, Triticum aestivum, 91.
 wheat, 46, 143.
 zeae, corn, 52.
 field corn, 146.
 sweet corn, 54, 148.
 Ustulina vulgaris, Tilia americana, 256.
- Venturia sp., Pyracantha spp., 282.
 inaequalis, apple, 70, 170.
 Pyrus malus, 84.
 pyrina, pear, 69, 178.
 Vermicularia phlogina, Phlox subulata,
 281.
 Verticillium sp., Acer palmatum, 241.
 platanoides, 241.
 rubrum, 241.
 saccharum, 241.
 Coleus sp., 267.
 cotton, 235.
 peppermint, 236.
 strawberry, 165.
 tomato, 216.
 Ulmus spp., 259.
 albo-atrum, azalea, 263.
 blackberry, 180.
 cotton, 235.
 eggplant, 226.
 okra, 210.
 potato, 229.
 raspberry, 182.
 Senecio cruentus, 285.
 tomato, 216.
 dahliae, Acer macrophyllum, 241.
 platanoides, 241.
 Antirrhinum majus, 262.
 Berberis thunbergii, 264.
 Chrysanthemum frutescens, 266.
 hortorum, 267.
 tomato, 216.
 Venidium sp., 288.
 Viroses, miscellaneous, potato, 230.
 Virus diseases, celery, 193.
 peach, 72.
 Volutella sp., Pachysandra terminalis,
 279.
 buxi, Buxus sempervirens, 264.

V

- Valsa leucostoma, plum, 177.
 Salix spp., 255.
 Valsaria insitiva, redbud, 243.
 Variegation, strawberry, 166.

W

- Water core (non-par.), apple, 172.
 Weather injury, bean, 222.
 cucumber, 206.
 filbert, 187.
 Juglans regia, 188.

Weather injury, onion, 191.
 pea, 224.
 peach, 162.
 pear, 179.
 plum, 177.
 prune, 174.
 raspberry, 183.
 strawberry, 166.
 turnip, 200.

Western yellow blight, see curly top.

Whiptail (non-par.), cauliflower, 197.

White spot (non-par.), alfalfa, 151.
 tip (undet.), rice, 137.

Wilt (undet.), *Matthiola* sp., 278.
 pineapple, 162.
Senecio cruentus, 285.

Winter injury, alfalfa, 151.
 apple, 173.
 apricot, 174.
Berberis thunbergii, 264.
 blackberry, 180.
 cherry, 176.
Cydonia japonica, 268.
Forsythia sp., 270.
 grape, 185.
Hedera helix, 272.
Ligustrum ibota, 276.
Pinus taeda, 250.
 youngberry, 183.
 killing, strawberry, 166.
 sun scald, *Camellia japonica*, 265.

Witches broom, alfalfa, 150.
 cherry, 176.
Pinus resinosa, 250.

Witches broom, strawberry, 165.

X

"X" disease (undet.), peach, 162.
 Xanthosis, strawberry, 166.
Xylaria mali, apple, 171.
 polymorpha, apple, 171.

Y

Yellow dwarf (virus), onion, 191.
 potato, 230.
 heart (non-par.), potato, 231.
 leaf, strawberry, 166.
 top (non-par.), alfalfa, 151.

Yellows (*Fusarium*), celery, 193.
 (leaf hopper), alfalfa, 151.
 (unknown), *Viola tricolor*, 288.
 (virus), *Calendula officinalis*, 265.
Callistephus chinensis, 265.
 carrot, 209.
 (virus, California aster yellows),
 celery, 193.
 (virus), celery, 193.
 lettuce, 212.
 peach, 162.
 salsify, 232.
 spinach, 232.
 strawberry, 165.

Z

"Z" disease (*Fusarium* sp.?), potato, 228.

